

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
AadAK: Abscota-----	80	Very limited Flooding Depth to saturated zone Filtering capacity	 1.00 1.00 1.00	Very limited Flooding Seepage Depth to saturated zone	 1.00 1.00 1.00
AatAN: Ackerman, drained---	85	Very limited Ponding Depth to saturated zone Filtering capacity	 1.00 1.00 1.00	Very limited Ponding Seepage Depth to saturated zone Content of organic matter	 1.00 1.00 1.00 1.00
AatAU: Ackerman, undrained-	80	Very limited Ponding Depth to saturated zone Filtering capacity	 1.00 1.00 1.00	Very limited Ponding Seepage Depth to saturated zone Content of organic matter	 1.00 1.00 1.00 1.00
AbhAN: Adrian, drained----	75	Very limited Ponding Depth to saturated zone Filtering capacity Subsidence	 1.00 1.00 1.00 1.00	Very limited Ponding Seepage Depth to saturated zone Content of organic matter	 1.00 1.00 1.00 1.00
AbhAU: Adrian, undrained---	75	Very limited Ponding Depth to saturated zone Filtering capacity Subsidence	 1.00 1.00 1.00 1.00	Very limited Ponding Seepage Depth to saturated zone Content of organic matter	 1.00 1.00 1.00 1.00

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
ApuAN: Antung, drained----	75	Very limited Ponding Depth to saturated zone Filtering capacity	 1.00 1.00 1.00	Very limited Ponding Seepage Depth to saturated zone Content of organic matter	 1.00 1.00 1.00 1.00
ApuAU: Antung-----	75	Very limited Ponding	 1.00	Very limited Ponding	 1.00

		Depth to saturated zone	1.00	Seepage	1.00
		Filtering capacity	1.00	Depth to saturated zone	1.00
				Content of organic matter	1.00
BrvA: Brady-----	85	Very limited Depth to saturated zone	1.00	Very limited Seepage	1.00
		Filtering capacity	1.00	Depth to saturated zone	1.00
BstA: Brems-----	75	Very limited Depth to saturated zone	1.00	Very limited Seepage	1.00
		Filtering capacity	1.00	Depth to saturated zone	1.00
BstB: Brems-----	75	Very limited Depth to saturated zone	1.00	Very limited Seepage	1.00
		Filtering capacity	1.00	Depth to saturated zone	1.00
				Slope	0.08
BswA: Brems-----	50	Very limited Depth to saturated zone	1.00	Very limited Seepage	1.00
		Filtering capacity	1.00	Depth to saturated zone	1.00
Morocco-----	40	Very limited Depth to saturated zone	1.00	Very limited Seepage	1.00
		Filtering capacity	1.00	Depth to saturated zone	1.00

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
BupB: Bronson-----	70	Very limited Depth to saturated zone	1.00	Very limited Seepage	1.00
		Filtering capacity	1.00	Depth to saturated zone	1.00
BuuA: Brookston-----	80	Very limited Ponding	1.00	Very limited Ponding	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Restricted permeability	1.00	Seepage	0.53
BuzA: Brookston-----	55	Very limited Ponding	1.00	Very limited Ponding	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Restricted permeability	1.00	Seepage	0.53
Navunon-----	37	Very limited Restricted permeability	1.00	Very limited Ponding	1.00
		Ponding	1.00	Depth to saturated zone	1.00
		Depth to saturated zone	1.00	Seepage	0.53
		Depth to bedrock	0.78	Depth to hard bedrock	0.42
BwfA: Budd-----	45	Very limited Depth to saturated zone	1.00	Very limited Seepage	1.00
		Filtering capacity	1.00	Depth to saturated zone	1.00
		Restricted	1.00		

		permeability			
Brady-----	35	Very limited		Very limited	
		Depth to	1.00	Seepage	1.00
		saturated zone			
		Filtering	1.00	Depth to	1.00
		capacity		saturated zone	
CjfC:					
Chelsea-----	70	Very limited		Very limited	
		Filtering	1.00	Seepage	1.00
		capacity			
		Slope	0.04	Slope	1.00

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
CjFD:					
Chelsea-----	75	Very limited		Very limited	
		Filtering	1.00	Slope	1.00
		capacity			
		Slope	1.00	Seepage	1.00
CmbAI:					
Cohoctah-----	75	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Depth to	1.00	Seepage	1.00
		saturated zone			
		Filtering	1.00	Depth to	1.00
		capacity		saturated zone	
CnzAI:					
Cohoctah-----	45	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Depth to	1.00	Seepage	1.00
		saturated zone			
		Filtering	1.00	Depth to	1.00
		capacity		saturated zone	
Abscota-----	35	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Depth to	1.00	Seepage	1.00
		saturated zone			
		Filtering	1.00	Depth to	1.00
		capacity		saturated zone	
CpcA:					
Conover-----	70	Very limited		Very limited	
		Restricted	1.00	Depth to	1.00
		permeability		saturated zone	
		Depth to	1.00		
		saturated zone			
CqmA:					
Corwin-----	80	Very limited		Somewhat limited	
		Depth to	1.00	Depth to	0.81
		saturated zone		saturated zone	
		Restricted	0.46	Seepage	0.53
		permeability			
CuyA:					
Crosier-----	75	Very limited		Somewhat limited	
		Depth to	1.00	Depth to	0.52
		saturated zone		saturated zone	
		Restricted	1.00		
		permeability			
DbsA:					
Denham-----	75	Very limited		Very limited	
		Filtering	1.00	Seepage	1.00
		capacity			
		Depth to	1.00	Depth to	1.00
		saturated zone		saturated zone	

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value

DbkB:					
Denham-----	75	Very limited Filtering capacity	1.00	Very limited Seepage	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00
				Slope	0.08
EchAN:					
Edwards, drained----	80	Very limited Restricted permeability	1.00	Very limited Ponding	1.00
		Ponding	1.00	Depth to saturated zone	1.00
		Depth to saturated zone	1.00	Seepage	1.00
				Content of organic matter	1.00
EchAU:					
Edwards, undrained--	75	Very limited Restricted permeability	1.00	Very limited Ponding	1.00
		Ponding	1.00	Depth to saturated zone	1.00
		Depth to saturated zone	1.00	Content of organic matter	1.00
EcrAN:					
Edselton, drained----	70	Very limited Restricted permeability	1.00	Very limited Ponding	1.00
		Ponding	1.00	Seepage	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Filtering capacity	1.00	Content of organic matter	1.00
EcrAU:					
Edselton, undrained-	70	Very limited Restricted permeability	1.00	Very limited Ponding	1.00
		Ponding	1.00	Seepage	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Filtering capacity	1.00	Content of organic matter	1.00
GcwA:					
Gilford-----	85	Very limited Ponding	1.00	Very limited Ponding	1.00
		Depth to saturated zone	1.00	Seepage	1.00
		Filtering capacity	1.00	Depth to saturated zone	1.00

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
GdvA:					
Gilford-----	45	Very limited Ponding	1.00	Very limited Ponding	1.00
		Depth to saturated zone	1.00	Seepage	1.00
		Filtering capacity	1.00	Depth to saturated zone	1.00
Monon-----	35	Very limited Ponding	1.00	Very limited Ponding	1.00
		Depth to saturated zone	1.00	Seepage	1.00
		Depth to bedrock	0.78	Depth to saturated zone	1.00
				Depth to hard bedrock	0.42
GmnA:					
Goodell-----	50	Very limited Ponding	1.00	Very limited Ponding	1.00
		Depth to saturated zone	1.00	Seepage	1.00
		Filtering capacity	1.00	Depth to saturated zone	1.00

		Restricted permeability	1.00		
Gilford-----	35	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Depth to saturated zone	1.00	Seepage	1.00
		Filtering capacity	1.00	Depth to saturated zone	1.00
GrfA:					
Granby-----	75	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Depth to saturated zone	1.00	Seepage	1.00
		Filtering capacity	1.00	Depth to saturated zone	1.00
GsaA:					
Granby-----	50	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Depth to saturated zone	1.00	Seepage	1.00
		Filtering capacity	1.00	Depth to saturated zone	1.00
Gilford-----	35	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Depth to saturated zone	1.00	Seepage	1.00
		Filtering capacity	1.00	Depth to saturated zone	1.00

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
HbzA:					
Headlee-----	45	Very limited		Very limited	
		Restricted permeability	1.00	Seepage	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Filtering capacity	1.00		
Brady-----	35	Very limited		Very limited	
		Depth to saturated zone	1.00	Seepage	1.00
		Filtering capacity	1.00	Depth to saturated zone	1.00
HnbA:					
Homer-----	85	Very limited		Very limited	
		Depth to saturated zone	1.00	Seepage	1.00
		Filtering capacity	1.00	Depth to saturated zone	1.00
		Restricted permeability	0.46		
HtbAN:					
Houghton, drained---	75	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Depth to saturated zone	1.00	Content of organic matter	1.00
		Subsidence	1.00	Depth to saturated zone	1.00
				Seepage	1.00
HtbAU:					
Houghton, undrained-	75	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Depth to saturated zone	1.00	Content of organic matter	1.00
		Subsidence	1.00	Depth to saturated zone	1.00
MfrAN:					
Madaus, drained----	80	Very limited		Very limited	
		Restricted permeability	1.00	Ponding	1.00
		Ponding	1.00	Seepage	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Filtering	1.00	Content of	1.00

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
MfrAU: Madaus, undrained----	75	Very limited Restricted permeability Ponding Depth to saturated zone Filtering capacity	1.00 1.00 1.00 1.00 1.00	Very limited Ponding Seepage Depth to saturated zone Content of organic matter	1.00 1.00 1.00 1.00 1.00
MgyA: Maumee-----	50	Very limited Ponding Depth to saturated zone Filtering capacity	1.00 1.00 1.00	Very limited Ponding Seepage Depth to saturated zone	1.00 1.00 1.00
Gilford-----	35	Very limited Ponding Depth to saturated zone Filtering capacity	1.00 1.00 1.00	Very limited Ponding Seepage Depth to saturated zone	1.00 1.00 1.00
MgzA: Maumee-----	45	Very limited Ponding Depth to saturated zone Filtering capacity	1.00 1.00 1.00	Very limited Ponding Seepage Depth to saturated zone	1.00 1.00 1.00
Gumz-----	35	Very limited Ponding Depth to saturated zone Filtering capacity Restricted permeability	1.00 1.00 1.00 1.00 1.00	Very limited Ponding Seepage Depth to saturated zone	1.00 1.00 1.00
MhaA: Maumee-----	80	Very limited Ponding Depth to saturated zone Filtering capacity	1.00 1.00 1.00	Very limited Ponding Seepage Depth to saturated zone	1.00 1.00 1.00
MhbA: Maumee-----	70	Very limited Ponding Depth to saturated zone Filtering capacity	1.00 1.00 1.00	Very limited Ponding Seepage Depth to saturated zone	1.00 1.00 1.00

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
MhnA: Medaryville-----	80	Very limited Restricted permeability Ponding Depth to saturated zone	1.00 1.00 1.00	Very limited Ponding Depth to saturated zone	1.00 1.00

MlwB:					
Metea-----	50	Very limited Filtering capacity	1.00	Very limited Seepage	1.00
		Restricted permeability	1.00	Slope	0.08
Moon-----	35	Very limited Depth to saturated zone	1.00	Very limited Seepage	1.00
		Restricted permeability	1.00	Depth to saturated zone	0.56
				Slope	0.08
MmyC2:					
Miami-----	75	Very limited Depth to saturated zone	1.00	Very limited Slope	1.00
				Depth to saturated zone	0.96
				Seepage	0.53
MnzB:					
Miami-----	40	Very limited Depth to saturated zone	1.00	Somewhat limited Depth to saturated zone	0.96
				Seepage	0.53
				Slope	0.08
Williamstown-----	35	Very limited Depth to saturated zone	1.00	Somewhat limited Depth to saturated zone	0.81
				Seepage	0.53
				Slope	0.08
MouA:					
Milford-----	85	Very limited Ponding	1.00	Very limited Ponding	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Restricted permeability	1.00		
MtoA:					
Moon-----	45	Very limited Depth to saturated zone	1.00	Very limited Seepage	1.00
		Restricted permeability	1.00	Depth to saturated zone	0.56

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
Ormas-----	35	Very limited Filtering capacity	1.00	Very limited Seepage	1.00
MtoB:					
Moon-----	45	Very limited Depth to saturated zone	1.00	Very limited Seepage	1.00
		Restricted permeability	1.00	Depth to saturated zone	0.56
				Slope	0.08
Ormas-----	30	Very limited Filtering capacity	1.00	Very limited Seepage	1.00
				Slope	0.08
MtpA:					
Moon-----	45	Very limited Depth to saturated zone	1.00	Very limited Seepage	1.00
		Restricted permeability	1.00	Depth to saturated zone	0.56
Selfridge-----	35	Very limited Depth to saturated zone	1.00	Very limited Seepage	1.00
		Restricted permeability	1.00	Depth to saturated zone	0.25
		Filtering capacity	1.00		

MupA:					
Morocco-----	85	Very limited		Very limited	
		Depth to	1.00	Seepage	1.00
		saturated zone			
		Filtering	1.00	Depth to	1.00
		capacity		saturated zone	
MvhAN:					
Moston, drained----	80	Very limited		Very limited	
		Restricted	1.00	Ponding	1.00
		permeability			
		Ponding	1.00	Seepage	1.00
		Depth to	1.00	Depth to	1.00
		saturated zone		saturated zone	
		Filtering	1.00	Content of	1.00
		capacity		organic matter	
MvhAU:					
Moston, undrained---	75	Very limited		Very limited	
		Restricted	1.00	Ponding	1.00
		permeability			
		Ponding	1.00	Seepage	1.00
		Depth to	1.00	Depth to	1.00
		saturated zone		saturated zone	
		Filtering	1.00	Content of	1.00
		capacity		organic matter	

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
MwzAN:					
Muskego, drained----	75	Very limited		Very limited	
		Restricted	1.00	Ponding	1.00
		permeability			
		Ponding	1.00	Depth to	1.00
				saturated zone	
		Depth to	1.00	Seepage	1.00
		saturated zone			
		Subsidence	1.00	Content of	1.00
				organic matter	
MwzAU:					
Muskego, undrained---	70	Very limited		Very limited	
		Restricted	1.00	Ponding	1.00
		permeability			
		Ponding	1.00	Depth to	1.00
				saturated zone	
		Depth to	1.00	Content of	1.00
		saturated zone		organic matter	
		Subsidence	1.00		
NofA:					
Newton-----	45	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Depth to	1.00	Seepage	1.00
		saturated zone			
		Filtering	1.00	Depth to	1.00
		capacity		saturated zone	
Morocco-----	35	Very limited		Very limited	
		Depth to	1.00	Seepage	1.00
		saturated zone			
		Filtering	1.00	Depth to	1.00
		capacity		saturated zone	
OacA:					
Oakville-----	50	Very limited		Very limited	
		Filtering	1.00	Seepage	1.00
		capacity			
Denham-----	40	Very limited		Very limited	
		Filtering	1.00	Seepage	1.00
		capacity			
		Depth to	1.00	Depth to	1.00
		saturated zone		saturated zone	
OacB:					
Oakville-----	45	Very limited		Very limited	
		Filtering	1.00	Seepage	1.00
		capacity			
				Slope	0.32
Denham-----	40	Very limited		Very limited	
		Filtering	1.00	Seepage	1.00
		capacity			

		Depth to saturated zone	1.00	Depth to saturated zone	1.00
				Slope	0.08

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
OaeC: Oakville-----	80	Very limited Filtering capacity	1.00	Very limited Seepage	1.00
				Slope	1.00
OaeD: Oakville-----	80	Very limited Filtering capacity	1.00	Very limited Slope	1.00
		Slope	1.00	Seepage	1.00
OeaA: Odell-----	90	Very limited Depth to saturated zone	1.00	Somewhat limited Seepage	0.53
		Restricted permeability	0.46	Depth to saturated zone	0.52
OecA: Odell-----	45	Very limited Depth to saturated zone	1.00	Somewhat limited Seepage	0.53
		Restricted permeability	0.46	Depth to saturated zone	0.52
Francesville-----	40	Very limited Depth to saturated zone	1.00	Somewhat limited Seepage	0.53
		Depth to bedrock	0.78	Depth to saturated zone	0.52
		Restricted permeability	0.50	Depth to hard bedrock	0.42
Pmg: Pits, Gravel-----	100	Not rated		Not rated	
Pps: Pits, Quarries, Limestone-----	95	Not rated		Not rated	
RebA: Radioville-----	45	Very limited Restricted permeability	1.00	Very limited Ponding	1.00
		Ponding	1.00	Depth to saturated zone	1.00
		Depth to saturated zone	1.00	Seepage	0.53

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
Mermill-----	40	Very limited Restricted permeability	1.00	Very limited Ponding	1.00
		Ponding	1.00	Depth to saturated zone	1.00
		Depth to saturated zone	1.00	Seepage	0.53
RevA: Rensselaer-----	45	Very limited Restricted permeability	1.00	Very limited Ponding	1.00
		Ponding	1.00	Depth to	1.00

		Depth to saturated zone	1.00	saturated zone	
				Seepage	0.53
Radioville-----	35	Very limited		Very limited	
		Restricted permeability	1.00	Ponding	1.00
		Ponding	1.00	Depth to saturated zone	1.00
		Depth to saturated zone	1.00	Seepage	0.53
ReyA: Rensselaer-----	75	Very limited		Very limited	
		Restricted permeability	1.00	Ponding	1.00
		Ponding	1.00	Depth to saturated zone	1.00
		Depth to saturated zone	1.00	Seepage	0.53
RhcA: Riddles-----	70	Very limited		Somewhat limited	
		Restricted permeability	1.00	Seepage	0.53
ScuA: Sebewa-----	85	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Depth to saturated zone	1.00	Seepage	1.00
		Filtering capacity	1.00	Depth to saturated zone	1.00
		Restricted permeability	0.46		
SdzcB: Selfridge-----	45	Very limited		Very limited	
		Depth to saturated zone	1.00	Seepage	1.00
		Restricted permeability	1.00	Depth to saturated zone	0.25
		Filtering capacity	1.00		

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
Brems-----	35	Very limited		Very limited	
		Depth to saturated zone	1.00	Seepage	1.00
		Filtering capacity	1.00	Depth to saturated zone	1.00
				Slope	0.08
SgzA: Selfridge-----	75	Very limited		Very limited	
		Depth to saturated zone	1.00	Seepage	1.00
		Restricted permeability	1.00	Depth to saturated zone	0.25
		Filtering capacity	1.00		
ShaA: Selfridge-----	45	Very limited		Very limited	
		Depth to saturated zone	1.00	Seepage	1.00
		Restricted permeability	1.00	Depth to saturated zone	0.25
		Filtering capacity	1.00		
Morocco-----	35	Very limited		Very limited	
		Depth to saturated zone	1.00	Seepage	1.00
		Filtering capacity	1.00	Depth to saturated zone	1.00
SmsAK: Sloan-----	90	Very limited		Very limited	
		Flooding	1.00	Ponding	1.00
		Ponding	1.00	Flooding	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00

		Restricted permeability	0.72	Seepage	0.28
Sn1A:					
Southwest-----	75	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Restricted permeability	1.00	Seepage	0.53
Sw1A:					
Strole-----	85	Very limited		Very limited	
		Restricted permeability	1.00	Depth to saturated zone	1.00
		Depth to saturated zone	1.00		

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
SwxA:					
Sumava-----	75	Very limited		Very limited	
		Depth to saturated zone	1.00	Seepage	1.00
		Restricted permeability	1.00	Depth to saturated zone	1.00
		Filtering capacity	1.00		
TmaAN:					
Toto, drained-----	70	Very limited		Very limited	
		Restricted permeability	1.00	Ponding	1.00
		Ponding	1.00	Seepage	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Filtering capacity	1.00	Content of organic matter	1.00
TmaAU:					
Toto, undrained-----	65	Very limited		Very limited	
		Restricted permeability	1.00	Ponding	1.00
		Ponding	1.00	Seepage	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Filtering capacity	1.00	Content of organic matter	1.00
UbrA:					
Udorthents, Clayey--	100	Very limited		Not limited	
		Restricted permeability	1.00		
W:					
Water-----	100	Not rated		Not rated	
WmgA:					
Whiskerville-----	50	Very limited		Very limited	
		Restricted permeability	1.00	Depth to saturated zone	1.00
		Depth to saturated zone	1.00	Seepage	1.00
Bronson-----	35	Very limited		Very limited	
		Depth to saturated zone	1.00	Seepage	1.00
		Filtering capacity	1.00	Depth to saturated zone	1.00

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value

WmiA:					
Whitepost-----	45	Very limited		Very limited	
		Restricted permeability	1.00	Ponding	1.00
		Ponding	1.00	Seepage	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Filtering capacity	1.00		
Gilford-----	35	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Depth to saturated zone	1.00	Seepage	1.00
		Filtering capacity	1.00	Depth to saturated zone	1.00
WoeB:					
Williamstown-----	50	Very limited		Somewhat limited	
		Depth to saturated zone	1.00	Depth to saturated zone	0.81
				Seepage	0.53
				Slope	0.08
Crosier-----	35	Very limited		Somewhat limited	
		Depth to saturated zone	1.00	Depth to saturated zone	0.52
		Restricted permeability	1.00	Slope	0.08
WogA:					
Williamstown-----	70	Very limited		Somewhat limited	
		Depth to saturated zone	1.00	Depth to saturated zone	0.81
				Seepage	0.53
WoxA:					
Williamstown-----	45	Very limited		Somewhat limited	
		Depth to saturated zone	1.00	Depth to saturated zone	0.81
				Seepage	0.53
Winamac-----	35	Very limited		Very limited	
		Depth to saturated zone	1.00	Seepage	1.00
		Filtering capacity	1.00	Depth to saturated zone	1.00
		Restricted permeability	1.00		
WoxB:					
Williamstown-----	45	Very limited		Somewhat limited	
		Depth to saturated zone	1.00	Depth to saturated zone	0.81
				Seepage	0.53
				Slope	0.08

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
Winamac-----	40	Very limited		Very limited	
		Depth to saturated zone	1.00	Seepage	1.00
		Filtering capacity	1.00	Depth to saturated zone	1.00
		Restricted permeability	1.00	Slope	0.08
WpaA:					
Winamac-----	45	Very limited		Very limited	
		Depth to saturated zone	1.00	Seepage	1.00
		Filtering capacity	1.00	Depth to saturated zone	1.00
		Restricted permeability	1.00		
Bronson-----	40	Very limited		Very limited	
		Depth to saturated zone	1.00	Seepage	1.00
		Filtering capacity	1.00	Depth to saturated zone	1.00
WpbA:					
Winamac-----	85	Very limited		Very limited	

		Depth to saturated zone	1.00	Seepage	1.00
		Filtering capacity	1.00	Depth to saturated zone	1.00
		Restricted permeability	1.00		
WpbB:					
Winamac-----	80	Very limited		Very limited	
		Depth to saturated zone	1.00	Seepage	1.00
		Filtering capacity	1.00	Depth to saturated zone	1.00
		Restricted permeability	1.00	Slope	0.08
WrxAN:					
Wunabuna, drained---	85	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Restricted permeability	0.46	Seepage	1.00
				Content of organic matter	1.00